

## Technical specifications

	Standard	CA 340	CA 340 ET	BA 340
Voltage	V	230	100-240	2 x 12
Rating of brush motor	W	320	320	320
Rating of vacuum motor	W	900	900	330
Rating of pump	W	25	25	25
Protection grade (moist., dust)	-	IP 34	IP 34	IP 34
Protection class (electrical)	-	II □	II □	III □
Number of brushes	pcs.	1	1	1
Brush diameter	mm	100	100	100
Brush speed (off floor/working)	rpm	1000	1000	1000
Brush pressure max.	kg	16	16	16
Vacuum max.	kPa	24	24	5.6
Airflow max.	litres/sec	45	45	17
Sound pressure level at 1.5 m	dB(A)/20µPa	68	68	68
Cable length	m	20	20	-
Suction width	mm	440	440	440
Productivity rate (theoretical)	m <sup>2</sup> /h	1360	1360	1360
Productivity rate (practical)	m <sup>2</sup> /h	400-500	600	400-500
Battery operation per charge	m <sup>2</sup>	-	-	700
Solution tank	litres	11	-	11
Recovery tank	litres	12	-	12
Membrane tank	litres	-	30/35	15
Length	mm	620	620	620
Width	mm	400	400	400
Height	mm	480	620	740
Weight w/o batteries (empty tank)	kg	38	38	40
Operating weight	kg	49	68	98



## Models and accessories that match your needs

The membrane tank of the CA/BA 340 (15 and 30 litre versions) is equipped with a drain hose for discharge into a bucket or gully. When empty, the tank is easily removed for cleaning. The membrane-tank version is just as compact and manoeuvrable as the two-tank version (same width and length, but slightly taller).



## Local service and maintenance

Choose between a nylon brush (in soft or medium stiffness) or an optional silicon carbide brush, depending on the job. You can individually adjust the brush pressure, so that any surface is cleaned effectively.



The best way to keep your CA/BA 340 automatic cleaner in peak condition is with a Nilfisk service contract. It includes preventive maintenance and ensures that, should anything go wrong, it will be fixed promptly by a professional.

Our customer support department is in direct contact with a staff of field service engineers who carry parts and accessories. They can also perform routine service and maintenance on the spot. With a Nilfisk service contract, you not only minimise the risk of expensive downtime, but you also protect your investment by maximising the life of your equipment.



Specifications and details are subject to change without prior notice.



**Nilfisk-Advance A/S**  
 Sognevej 25  
 DK-2605 Brøndby  
 Denmark  
 Tel.: +45 43 23 81 00  
 Fax: +45 43 43 77 00  
 www.nilfisk-advance.com

Automatic Floor Cleaner

# CA 340 BA 340 CA 340<sub>ET</sub>

Clean floors  
in half the time



# The smart alternative to mopping

**Sparklin clean floors, without the hassle**



**Twice as fast as mopping**

If you dislike cleaning floors, you'll love the Nilfisk CA/BA 340. With just a light touch of the finger, this mini scrubber/dryer glides into action, leaving your floors spotless. There's no slippery residue, no aching back. Just a clean, dry surface.

The Nilfisk CA/BA 340 is ideal for the daily maintenance of any hard floor that can be wet cleaned. Cleaning contractors will appreciate the light weight and portability of the CA 340 (230V power) with a choice of twin and membrane tanks. And for those who prefer battery operation, the BA 340 cleans up to 700 m<sup>2</sup> on a single charge. Finally, the CA 340ET offers all the qualities of the CA 340, but with an extra large tank capacity for cleaning up to 400 m<sup>2</sup> of floor space without refilling

## Benefits of the CA/BA 340 scrubber/dryers

- Cleans up to 400m<sup>2</sup> an hour - twice as fast as mopping, and with far better results.
- Leaves stone, tile, cement, marble, rubber, vinyl and sealed wood floors spotless.
- Dries as it cleans, leaving a slip-free surface.
- Simple controls are easy to see and reach.
- Unique design permits cleaning under furniture and right up to the wall's edge.
- Manoeuvrable and compact.
- Handle adjusts to the height of any user and folds away for easy storage.
- Quiet operation.
- Choice of 3 brushes, with individually adjustable pressure to ensure thorough cleaning - even on an uneven surface.

*Productive*


*User friendly*

*Quiet*


*Easy to service*



## It's easy



*Vertical brush rotation and double squeegee maximise scrubbing and drying power.*



*The compact CA/BA 340 turns at the touch of a finger for total manoeuvrability.*

## Safe to use during business hours

With the twin-tank version of the CA/BA 340 scrubber/dryer, the job of filling, cleaning and emptying the tanks is extra quick and easy. You don't need a bucket — just leave the unit where it is and carry the tanks to the nearest toilet or sink. You can clean up to 150 m<sup>2</sup> and 200 m<sup>2</sup> respectively before refilling.

The BA 340 comes with maintenance-free (sealed) batteries, an optional built-in battery charger and an LED charge indicator. The battery pack is easily accessible, allowing a quick change to a spare set for doubled capacity. To recharge simple connect the cable to a mains outlet.

The unique nozzle head of the CA/BA 340 scrubber/dryer allows you to clean under furniture, right up to the wall's edge. And with a squeegee on both sides of the brush, you get equally effective drying when moving forward or backward, or turning.

Simple, clearly marked controls are within easy reach of the user. Convenient foot pedal raises and lowers brush. The adjustable handle adapts to fit any person.

If you're using a mop, you're probably spending about two hours to clean every 300 m<sup>2</sup> of floor, and having to wait until after business hours. With a CA/BA 340 scrubber/dryer, you can clean that same area — much better, and during business hours — in half the time or less. Because the CA/BA 340 picks up all water in a single pass as you clean, there's no slipping hazard. Plus, it's extra quiet so that the disruption of activity in surrounding areas is minimal.

