

Commercial wet and dry vacuum cleaning - 35L container

The Nilfisk VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centres as well as public buildings, manufacturing and industrial applications.

With the special dual filtration system, the VL500 can be used in any environment, wet or dry, without the need to change filters. A failsafe filter design ensures easy operation due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance.

The unique design and features of VL500 have been developed in partnership with Nilfisk customers. The VL500 is available in a variety of models to best suit the customers individual needs.









- Easy inspection of filters with a hinged motor head to protect the machine and speed up the process.
- The dual filtration system allows the machine to clean both wet and dry applications without the need to change filter
- Multi fit hose connector, stainless steel tube, accessory storage and nozzle parking.



Picture shown may not represent model quoted

The Nilfisk VL500 series of wet and dry vacuum cleaners offers performance and reliability that ensure a low total cost of ownership and at the same time, features that make daily cleaning tasks easier, faster and safer.

• Standard equipment

Included accessories		Ref. no.	Min. required	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
	Hose Vacuum Cleaner				
	HOSE D32 1.9M CPL	107407308	1	•	•
	Vac Nozzle Wet				
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	•	•
	Hard Floor Nozzle				
	FLOOR NOZZLE D32 BRUSH	107407311	1	•	•
	Round Brush Nozzle				
	BRUSH NOZZLE D32	107407312	1	•	•
	Crevice Nozzle				
	CREVICE NOZZLE D32	107407334	1	•	•
	Filter				
	CARTRIDGE FILTER	107407297	1	•	•
	SACK FILTER	107407296	1		
	Wet Filter				
	WET FILTER	107407299	1	•	•
	Tube				
	EXTENSION TUBE D32 - SS	107407309	1	•	•

Commercial wet and dry vacuum cleaning - 35L container




Model	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Ref. no.	107405160	107405171

PRODUCT FEATURES







Tube holder	•	•
Dual filter system	•	•
Storage of accessories	•	•

Technical specifications	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Energy Label		
Cable length (M)/ plug type	10/EU	10/UK
Volt/frequency (V/Hz)	220-240/50-60	220-240/50-60
Ip protection class	IP24	IP24
Rated power (W)	1350	1350
Power piec (W)	1250	1250
Suction power end of tube (W)	250	250
Airflow (l/sec)	48	48
Vacuum at nozzle (kPa)	20	20
Sound pressure level (dB(A) BS 5415)	62	62
Sound power level (dB(A) IEC 704)	81	81
Tank capacity (l)	35	35
Dust bag capacity (l)	18	18
Sack filter area (cm ²)	-	-
Wet filter area (cm ²)	1051	1051
Cartridge filter area (cm ²)	2070	2070
Hose length (m)	1.9	1.9
Inlet (mm)	32	32
Length x width x height (cm)	46x42x73	46x42x73
Weight (kg)	12.5	12.5

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
	Vac Nozzle Wet				
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	•	•
	Filter Bag				
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	○	○
	Hose Vacuum Cleaner				
	HOSE D32 1.9M CPL	107407308	1	•	•

Commercial wet and dry vacuum cleaning - 35L container

Accessories		Ref. no.	Min. required	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
	Filter				
	CARTRIDGE FILTER	107407297	1	•	•
	HEPA CARTRIDGE FILTER	107409006	1	○	○
	SACK FILTER	107407296	1		
	Wet Filter				
	WET FILTER	107407299	1	•	•
	Round Brush Nozzle				
	BRUSH NOZZLE D32	107407312	1	•	•
	Crevice Nozzle				
	CREVICE NOZZLE D32	107407334	1	•	•
	Hard Floor Nozzle				
	FLOOR NOZZLE D32 BRUSH	107407311	1	•	•
	Tube				
	EXTENSION TUBE D32 - SS	107407309	1	•	•